

etolection Equipment



Da-Lite's projection equipment line is built with dependability in mind. That's why, whether it's an overhead projector, multimedia presenter or LCD panel, only quality components and construction are used for worry-free presentations and many years of performance even in the most tortuous settings. And, for peace of mind, all electrical products are UL and CSA safety approved.

Contents ···

Overhead Projectors **46**Opaque Projectors **47**Overhead Optional Accessories **47**

Da-Cam Multi-Media Presenters **48** Da-Cam Optional Accessories **48**



Overhead Projectors



Model 5000

Portable High Lumen Projector

- Bright 5000 lumen output is perfect for projecting images from LCD panels.
- Lightweight and portable design sets up in seconds and makes it easy to carry anywhere.
- 100 line per inch Fresnel lens creates a crystal clear, distortion free image.
- External extra bulb changer for convenience complete with 2 bulbs.
- Wide angle lens standard.



G-200

Impact Resistant Case To Take the Toughest Abuse

- Textured case constructed of impact resistant polymer to withstand classroom abuse and hide fingerprints.
- Large 10" x 10" stage area.
- 360-Watt EYB lamp and 50 line Fresnel lens provide a bright and distortion free image.
- Closed head to prevent tampering with precision 2-element lens.
- · Also available in 220V model.



G-100

Performance and Durability at a Great Value

- Rugged, all steel body construction maintains optical alignment even under the most demanding use.
- 600-Watt DYS lamp and 50 line Fresnel lens provide a bright and distortion free image.
- Superior 2-element lens housed in closed head.
- Lamp tuner to eliminate distortion of color at edges.
- Also available in 220V model.



300 Series



700 Series


Campus Series LCD Panel

Computer Display Panel for Overhead Projectors

- 640 x 480 active-matrix LCD technology (TFT) projects bright full color computer images on any overhead projector.
- Works with PC or MAC computers and is compatible with VGA and SVGA images.
- Two models to choose from: the Campus 300 for data display only and the Campus 700 for displaying both data and video.
- Includes infrared remote control and universal AC to DC converter for 120V and 220-240V power supply.

Phone: 219-267-8101 E-Mail: info@da-lite.com







Vu-Lyte IV

Full-Featured Opaque Projector

- Project opaque objects like documents, artwork, maps and even small 3-D objects up to 2½" thick.
- Magnifies images from 2 1/2 to 13 times object's original size.
- Vu-Lyte IV accepts materials up to 2½" thick.
- Also available in 220V model.



Acetate Roll Attachment

- Write or draw on acetate while projecting the image.
- Acetate rolls (not included) can be mounted for side-to-side or front-to-rear operation.
- Large knob rolls acetate in either direction.
- Fits G-100 and G-200.



Acetate Rolls

• Clear 10½" x 50' acetate roll for above Acetate Roll Attachment.



Dust Cover

- Rugged nylon dust cover keeps stage clear of dust and dirt when not in use.
- Covers to fit the G-100, G-200 or Opaque projectors.



Model 5000 Carrying Case

- Nylon carrying case with hardboard reinforcement designed specifically for the Model 5000.
- Protects Fresnel lens while being carried or stored.
- Includes large storage pocket.

Transparencies and Optional Accessories For Overhead Projectors



Glare Shield

- Removable glare shield reduces light shining into presenter's eyes.
- Flexible shaft swings in and out of position as needed.
 Does not interfere with normal operation.
- Fits G-100 and G-200.



Spare Lamps

- Always keep a spare lamp handy to guard against a ruined presentation.
- Original equipment lamp insures your projector will perform as designed.



Transparency Film

- Quality film for use in thermal, laser or copy machines.
- Select from a wide variety of colors and types.

Clear (100 per Box)
Clear- paper backed
(100 per Box)
Clear with removable stripe
(100 per Box)
Colors- blue, red, yellow, green
(100 per Box)
Ink Jet- clear (50 per Box)
Laser Printer- clear (50 per Box)
Thermal- clear (100 per Box)

E-Mail: info@da-lite.com Phone: 219-267-8101



Da-Cam™ Multi-Media Presenters



Da-Cam™ MC-8

Full-featured Video Imaging Presenter

- View two or three dimensional objects in brilliant color.
- High resolution CCD camera 460(H) x 350(V) NTSC 450(H) x 400(V) PAL with 12X zoom and auto focus.
- Camera head rotates for easy adjustment and to view objects at different angles.
- 2.9" diagonal LCD color Pre-View screen to see exactly what is being presented.
- Built-in back light allows transparencies and slides to be projected while standard auxiliary light illuminates the

stage. Positive/Negative switch allows the viewing of X-rays.

- Audio video outputs for connecting all peripherals including microphone input and volume control.
- S-Video, composite video and RGB outputs.
- Self-retracting power cord.
- Includes heavy reinforced nylon case with padded strap for easy transport.
- Model MC-8 (NTSC) is 120V.
 Model MC-8P (PAL) is 220-240V.



Da-Cam™ LC-3

All-Purpose Video Imaging Presenter

- Small rotatable camera head on goose neck allows objects to be viewed from different positions.
- Also ideal as a teleconferencing camera with its wide angle lens and built-in microphone.
- High resolution CCD camera with 1/4" CCD (270,000 pixels) imager.
- Manual focus keeps images sharp from a distance of ½" to infinity.
- Low light capability assures good images in normal room lighting.
- Includes selectable AC power adapter for 120V, 220V, and 240V.



Da-Cam™ MC-7

Video Imaging Presenter

- View two or three dimensional objects in brilliant color.
- High resolution CCD camera 460(H) x 350(V) NTSC or 450(H) x 400(V) PAL with 8X zoom and auto focus.
- 2.9" diagonal LCD color Pre-View screen to see exactly what is being presented.
- Standard auxiliary light illuminates objects for optimum color rendition.
- Audio video outputs for connecting all peripherals including microphone input and volume control.
- Lightweight (under 12 lbs.) folds flat and stores in convenient carrying case.
- Self-retracting AC power cord.
- Model MC-7 (NTSC) is 120V. Model MC-7P (PAL) is 220-240V.

Da-Cam Optional Accessories

Get the most out of your Da-Cam



Specimen Stand/Stage

• Includes rotary table and close-up lens for specimen presentation.



Light Box

 Translucent lightbox for slide and transparency presentations. Operates on batteries or included AC adapter. Use with Da-Cam™ MC-7.



Dust Cover

- Protects unit from dust and contamination.
- Fits Da-CamTM MC-7 and MC-8.

Phone: 219-267-8101

48

E-Mail: info@da-lite.com